



# HOLE PUNCH LINDOVA H7

SEE OUR ENTIRE PRODUCT RANGE AT: [WWW.LINDOVA.SE](http://WWW.LINDOVA.SE)




## Air hydraulic punch tool for steel plate up to 4 mm

Lindova H7 is an air hydraulic hole punching tool. The design allows the user to work using rapid strokes and considerable force. The hole is burr-free.


The tool is both light weight and well-balanced to minimize the strain on the user. The air hydraulics also mean that the tool runs silently and is completely vibration-free.

The tool has few moving parts and has an extremely high level of operational reliability. And because we both design and manufacture the H7 Hole Punch ourselves, we can guarantee both a complete stock of spare parts and rapid service when required.



# HOLE PUNCH LINDOVA H7

SEE OUR ENTIRE PRODUCT RANGE AT: [WWW.LINDOVA.SE](http://WWW.LINDOVA.SE)




Designation	Weight	Punch pressure*	Length	Ø Cylinder
H7/d-530	1.9 kg	20 kN	368 mm	68 mm
H7/d-730	2.2 kg	33 kN	370 mm	86 mm



Designation	Weight	Punch pressure*	Length	Ø Cylinder
H7/d-530R	2.3 kg	20 kN	450 mm	68 mm
H7/d-730R	2.9 kg	33 kN	452 mm	86 mm

$d = \text{Ø Punch}$



## CAPACITY\* (plate thickness mm)

530

730

Material	530			730		
	Aluminium	Steel (I311)	Stainless	Aluminium	Steel (I311)	Stainless
Punch Ø 4 mm	4.0	4.0	2.8	4.0	4.0	4.0
Punch Ø 5 mm	4.0	3.7	2.3	4.0	4.0	3.8
Punch Ø 6 mm	4.0	3.0	1.9	4.0	4.0	3.1
Punch Ø 7 mm	3.8	2.5	1.6	4.0	4.0	2.7
Punch Ø 8 mm	3.3	2.2	1.4	4.0	4.0	2.3

The Lindova H7 is supplied as a standard model with a choice of punch sizes between 4 and 8 mm. Special models offer punches at 0.1 mm intervals. Punch and pad are easily interchangeable.

Vibration level: < 2.5 m/s<sup>2</sup> 

Noise level: 63 dB (A)

\* At 6 bar (90 Psi) pressure